NOMURA machines



Tool holder

NUYA0001
Tool clamping: _
Speed ratio: _



Cross drilling/milling unit

NUYA120201
Tool clamping: ER20M
Speed ratio: 1:1



2 spindle
drilling/milling unit

NUYA2A2301
Tool clamping: ER16M
Speed ratio: 1:1



4 spindle
drilling/milling unit

NUSA2A4101
Tool clamping: ER11M, ER11
Speed ratio: 1:1



Cross drilling/milling unit,
3 spindle

NUSA111102
Tool clamping: ER11M
Speed ratio: 1:1



2 spindle
drilling/milling unit

NUSA2A2102
Tool clamping:ER11
Speed ratio: 1:1



Cross drilling/milling unit,
2 spindle

NUSA116101

Tool clamping: ER16M
Speed ratio: 1.59:1



Cross drilling/milling unit,
3 spindle

NUSA116102

Tool clamping: ER16M
Speed ratio: 1:1



Cross drilling/milling unit

NUUA116204

Tool clamping: ER16M
Speed ratio: 1:1



Cross drilling/milling unit

NUUA116201
Tool clamping: ER16M
Speed ratio: 1:1



Idler shaft

NUUA100000
Tool clamping: _
Speed ratio: _

3 spindle
drilling/milling unit

NUUA2A3202
Tool clamping: ER11M
Speed ratio: 1:1



Non-guide bush device

NUU25500
Tool clamping: _
Speed ratio: _



3 spindle
drilling/milling unit

NUJA2A3201
Tool clamping: ER11A
Speed ratio: 1:1



Cross drilling/milling unit

NUBA108201
Tool clamping: ER8M
Speed ratio: 1:1



Drill holder for sub spindle

NUUB81Q201
Tool clamping: ER16M
Speed ratio: _



Drill holder for sub spindle

NUUB81Q203
Tool clamping: ER16M
Speed ratio: _



Drill holder for sub spindle

NUYB81Q301
Tool clamping: ER16M
Speed ratio: _



Drill holder for sub spindle

NUYB81Q302
Tool clamping: ER16M
Speed ratio: _



Drill holder
for sub spindle (deep hole)

NUYB81Q304
Tool clamping: ER16M
Speed ratio: _



Drill holder
for sub spindle (deep hole)

NUYB81Q303
Tool clamping: ER16M
Speed ratio: _



Turning holder
for sub spindle

NUUB910201

Tool clamping: 10x10
Speed ratio: _



Turning holder
for sub spindle

NUUB910202

Tool clamping: 10x10
Speed ratio: _



Turning holder
for sub spindle

NUUBA22000+COMBADL550

Tool clamping: _
Speed ratio: _

Turning holder
for sub spindle

NUUBA22000+COMBADR550

Tool clamping: _
Speed ratio: _



Turning holder
for sub spindle

NUUBA22000+COMBAC1000

Tool clamping:10x10
Speed ratio: _



Reamer tool holder

NUUA0002

Tool clamping: ER11M
Speed ratio: _



Reamer tool holder

NUUA0003

Tool clamping: ER11M
Speed ratio: _

pag	order-no.	operation	tool clamping	output	RPM max.	machine	other
41	NUYA0001	Tool holder	_	_	_	NN-20YB E	
41	NUYA120201	Cross drilling/milling unit	ER20M	1:1	6000	NN-25YB	
41	NUYA2A2301	2 spindle drilling/milling unit	ER16M	1:1	6000	NN-32YB2	
41	NUSA2A4101	4 spindle drilling/milling unit	ER11M, ER11	1:1	6000	SB5/SB6	
41	NUSA111102	Cross drilling/milling unit, 3 spindle	ER11M	1:1	6000	SB5/SB6	
41	NUSA2A2102	2 spindle drilling/milling unit	ER11	1:1	6000	SB5/SB6	
41	NUSA116101	Cross drilling/milling unit, 2 spindle	ER16M	1.59:1	6000	SB5/SB6	
41	NUSA116102	Cross drilling/milling unit, 3 spindle	ER16M	1:1	6000	SB5/SB6/SB7	
41	NUUA116204	Cross drilling/milling unit	ER16M	1:1	6000	NN-20U3C/NN-16U3C/ NN-20CS/NN-20U5/ NN-20UB8	
42	NUUA116201	Cross drilling/milling unit	ER16M	1:1	6000	NN-16UB/NN-20UB	
42	NUUA100000	Idler shaft	_	_	_	NN-20UB8	
42	NUUA2A3202	3 spindle drilling/milling unit	ER11M	1:1	6000	NN-32YB2	
42	NUU25500	Non-guide bush device	_	_	_	25-U5	
42	NUJA2A3201	3 spindle drilling/milling unit	ER11A	1:1	6000	NN-20J	
42	NUBA108201	Cross drilling/milling unit	ER8M	1:1	6000	NN-16/NN-20 B3	
42	NUUB81Q201	Drill holder for sub spindle	ER16M			NN-20UB7	
42	NUUB81Q203	Drill holder for sub spindle	ER16M			NN-20UB7	
42	NUYB81Q301	Drill holder for sub spindle	ER16M			NN-32YB2	
42	NUYB81Q302	Drill holder for sub spindle	ER16M			NN-32YB2	
42	NUYB81Q304	Drill holder for sub spindle (deep hole)	ER16M			NN-32YB2	Ø22
42	NUYB81Q303	Drill holder for sub spindle (deep hole)	ER16M			NN-32YB2	Ø23
43	NUUB910201	Turning holder for sub spindle	10x10				Ø22
43	NUUB910202	Turning holder for sub spindle	10x10				Ø23
43	NUUBA22000 +COMBADL550	Turning holder for sub spindle				NN-20B8	Adjustment ±1.0mm. Insert_DC.11T3
43	NUUBA22000 +COMBADR550	Turning holder for sub spindle					Insert_DC.11T3
43	NUUBA22000 +COMBAC1000	Turning holder for sub spindle	10x10			NN-20B8	Adjustment ±1.0mm
43	NUUA0002	Reamer tool holder	ER11M				
43	NUUA0003	Reamer tool holder	ER11M				